NVR7316

Corporate Megapixel RAID NVR

- Maximum 128CH 1080P Recording
- Support 16-bay Hot-Swappable SATA Hard Disk
- SAS JBOD and iSCSI Storage Expansion
- Support 14x 3U 16-bay JBOD (total 240HDDs) or 5x 4U 60-bay JBOD (total 316HDDs)
- Enterprise Hardware RAID Function for Data Protection
- Cableless Design & Two Redundant Power Supplies
- Built-in Enterprise VMS & Real-Time Video Intelligence
- Support Web-based System Maintenance Tool (SurveOne)
- Scalable Client-Server Architecture

Software Specifications

Live View	 Real-time network camera discovery Versatile views of various screen divisions Multiple views supported View patrolling for single or multiple views Real time video/event alarm monitoring Support 3 installation modes and 5 different fisheye dewarp display modes Support live audio 	Recording Policy	 Supports up to 128 channels megapixel recording (depends on product) Continuous recording Event-driven recording along with rules Scheduled recording on daily or weekday basis Post alarm recording 1-300 seconds Pre-alarm recording 1-300 seconds Support individual schedule recording
eMAP	Drag-n-drop camera manipulation Hierarchical and multiple layer map structure Real time event alert Instant live video of camera	Rule Manager	Conditional recording/alert/notification Email, FTP, SMS, popup window, PTZ,VI Panel, Relay output notifications Sound, alarm, round-the-clock alerts Support email template
ΡΤΖ	 Pan, tilt, and zoom operations (depends on camera) Built-in PTZ control panel Preset position (depends on camera) Event-driven camera patrolling Support OnScreen PTZ 	Remote Management	Remote operation & management via VMS Client Remote management and control via SCC & SCC Client Web Client • iPhone client • Android Client
I/O	• Digital I/O management	Remote Client 3rd Party IPCAM	• Web Client • Phone client • Android Client • ACTi, Arecont Vision, Axis, Dahua, Dynacolor,
Multiple Displays	Support Ethernet Digital I/O Controller		Hikvision, IQinvision, Mobotix, Panasonic, and more
Multiple Displays	 Support dual monitors Supports live view, playback, eMap functions (depends on product) Direct display to secondary monitor(s) 	Storage Expansion	Built-in RAID storage management Recording to iSCSI/NAS Backup to iSCSI/NAS
Investigation	 Search by date, time, and camera Search by VI event combinations Search over multiple days Search over multiple cameras Different colored recording indicator on calendar Search via built-in VI analyzer Intuitive, video thumbnail search results Cue-in, cue-out and loop playback Quick playback by video thumbnails 1/8, 1/4, 1/2, 1x, 2x, 4x, 8x play, pause, stop AVI-formatted video clip export Up to 16 channel synchronized playback (depends on product) Support 3 installation modes and 5 different fisheye dewarp playback display modes 	General & Misc.	 Video privacy mask Digital zoom in, zoom out Log viewer, log export mechanism Client auto login Automatic storage recycling Client-server architecture Customized authority account management Digital watermark proofing Support DDNS function Support DDNS function Support time synchronization with NTP server Provide System and VI setup Help assistance Support Customized Event management and log mechanism Auto port mapping for internet connection Support Health Check function
Video Intelligence	 General motion detection Camera motion detection Missing object detection Foreign object detection Intrusion detection Tampering detection Forbidden area detection Virtual fence Capital fence 		Support read circle and circ
		Language	Support multiple language on VMS including English, Czech, Dutch, French, German, Italian, Japanese, Korean, Persian, Polski, Portuguese, Russian, Slovak, Spanish, Turkish, Simplified Chinese, Traditional Chinese
	Go in/out detection (configure on remote client) Tailgating detection (configure on remote client)		

Object counting (configure on remote client)







NVR7316

Corporate Megapixel RAID NVR

Functions





Hardware Specifications

NVR7316				
System Processor	Intel [®] Xeon E3 Quad Core 3.2GHz			
System Memory	DDR3 16GB (up to 32GB)			
Operating System	2.5" HDD with Linux Embedded System			
Storage	16 x 3.5" SATAII/SATAIII hard disk drives			
I/O Interface	 RJ-45 Gigabit Ethernet x2 (default), up to 4 x GbE port (optional) USB 2.0 x 2 (rear) USB 3.0 x2 (rear) VGA x 1 HDMI x 2 Mic. In port x1 Speaker out port x 1 			
RAID	Non-RAID, 1, 5, 6, 5+Spare, 6+Spare			
Electrical	• Dual Redundant PSU (460W)			
Operating Environment	• Humidity: 5% to 80% (non-condensing) • Temperature: 5° to 40°C			
LED Indicator	Yes			
Dimensions	3U 19" Rackmount, 130.0(H) x 447.4(W) x 524.4(D) mm			
Weight	21.54kg/ 47.49lbs (without HDDs)			
Certification	UL, CB, FCC/CE Class A			
Warranty	3 years			

SurveOne Specifications

Browser-Based System Status Monitoring				
System Monitoring	 NVR/camera system status overview NVR device/network/storage real-time status monitoring Camera real-time status monitoring 			
Configurations	 Easy NVR/camera configuration copy Easy NVR/camera configuration backup/restore Easy camera firmware online upgrade Easy multiple cameras batch setting 			
Event Log	 NVR/camera real-time event log information Critical error/error/warning multi-level event classifications 			

Ordering Information

Model name	Description
NVR7316A1-64	64 CH, 16 Bay Megapixel H/W RAID NVR
NVR7316A1-96	96 CH, 16 Bay Megapixel H/W RAID NVR
NVR7316A1-128	128 CH, 16 Bay Megapixel H/W RAID NVR
ZCDULT-0010	SCC with Unlimited Host License
ZCD5H-0010	SCC with 5 Host License
ZCD10H-0010	SCC with 10 Host License
ZCD20H-0010	SCC with 20 Host License

Optional Accessories

Part Number	Description
ZJOYSTICK-0050	CH Products, IP Desktop USB Joystick. 3 axes joysticks for P/T control, 12 HID buttons, USB 1.1 HID compliant, Easy to use and operate.
ZETHIOBOX-0030	Ethernet I/O Box, Ethernet Digital I/O Controller, Digital Input x6, Digital Output x3 (for VMS 2.4.8)
ZPOE08-0030	8 Port 10/100Mbps 120W PoE Switch
ZPOE26-0030	24 Port 10/100Mbps + 2 Port GBE Combo (UTP/ SFP) 380W PoE Switch
H72A1XA3XXX-0030	Hitachi, Enterprise, 2TB SATA HDD, 6Gb/s
H72A2XA2XXX-0030	Hitachi, Enterprise, 3TB SATA HDD, 6Gb/s
H72A3XA3XX1-0030	Hitachi, Enterprise, 4TB SATA HDD, 6Gb/s
HSLT72A3200-00301	Toshiba, Desktop, 2TB Surveillance SATA HDD, 6Gb/s
HSLT72A3300-00301	Toshiba, Desktop, 3TB Surveillance SATA HDD, 6Gb/s
HSLT72A3400-00301	Toshiba, Desktop, 4TB Surveillance SATA HDD, 6Gb/s

