











Accessories

IP Camera Accessories

Photo	Type	Descriptions	Applied Model	Product Number
	CS Mount Lens	EVETAR, 1/3", f3.6mm/F1.8, Megapixel Lens	CAM12xx Series CAM23xx Series	YBOLL08M30G0
	CS Mount Lens	EVETAR, 1/3", f4.2mm/F1.8, Megapixel Lens	CAM12xx Series CAM23xx Series	YBOLL08M40G0
	CS Mount Lens	RICOM, 1/2.7", f3.0-10.5mm/F1.4, DC-iris, 3 Megapixel Lens	CAM23xx Series CAM24xx Series (CAM2311P, CAM2331P, CAM2441P, CAM2331SP are not included)	YB0LJI6G01G0
	CS Mount Lens	RICOM, 1/2.5", f3.3-10.5mm/F1.4, DC-iris, 5 Megapixel Lens	CAM25xx Series	YB0LJI5G01G0
	CS Mount Lens	Tamron, 1/2.7", f=2.8-8mm/F1.2, DC drive IRIS, 3Mega Pixel Lens	CAM23xx Series CAM24xx Series (CAM2311P, CAM2331P, CAM2441P, CAM2331SP are not included)	YB0LTM6C01G0
	Wireless Dongle	Edimax EW-7711UAn, Wireless Dongle	CAM1200 CAM1201	YBWEETP001G0
	Power Supply	Power Adapter, 12VDC, 1.5A; 18W (w/ Universal Power Cords)	CAM1xxx Series CAM2xxx Series CAM3xxx Series CAM4xxx Series CAM5xxx Series CAM7xxx Series	ZPWR18W-0030
	Power Supply	Power Supply, AC, 100V~240V input, 30V output	CAM6471EZ/6371LZ/6571LZ	ZPWR240-0030
	Power Supply	PoE Injector, 15.4W, 10/100M (w/ US Standard Power Cord)	CAM1xxx Series CAM2xxx Series CAM3xxx Series CAM4xxx Series CAM5xxx Series CAM7xxx Series	YBPICC0001G0
	Cable	Cable, Audio in/out, DI/DO	CAM4211/4221/4311S2/4 321LV(SV)/4410S2/4411S2 (S3,S4,S6)/4421LV/4521LV/7511/ 7510	ZCABLEEXT1-0030













Accessories

IP Camera Accessories

Photo	Type	Descriptions	Supported Models	Part No.
	Camera Stand	Camera Long Stand for Box Camera, White	CAM1xxx Series CAM2xxx Series	ZBracketS2-0010
	Camera Stand	Camera Long Stand for Box Camera, Silver	CAM1xxx Series CAM2xxx Series	ZBracketS2-0050
	Bracket	L-type bracket. Construction: Aluminum Dimensions: 145(W) x 110(H) x 170(D) mm Weight: 0.5kg	CAM4361/4371/4471V/4471VT/4471M/4471MP/4571M/4571MP/4571VP/4371HEM-3/4371HEV-3/4471HEM-3/4471HEV-3/4471HI	ZBracketL-0010
	Bracket	L-type bracket for 3-axis dome camera Construction: Aluminum Dimensions: 145(W) x 110(H) x 170(D) mm Weight: 0.5kg	CAM4211/4221/4311S2/4321LV(SV)/4410S2/4411S2 (S3,S4,S6)/4421LV/4521LV/4351R2/4361LV(RV)/4461LV/4561LV/CAM4571RF	ZBracketL2-0010
	Bracket	I type bracket for outdoor speed dome. Dimensions: 184 x 104 x 115.2 mm (7.2 x 4.1 x 4.5 inches) Diameter: 45 mm (1.8 inches) Weight: 0.6 kg (1.3 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBracketI2-0010
	Bracket	I type bracket for outdoor speed dome. Dimensions: 348 x 104 x 138.6 mm (13.7 x 4.1 x 5.5 inches) Diameter: 45 mm (1.8 inches) Weight: 1.5 kg (3.3 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBracketI3-0010
	Bracket	Tube type bracket for outdoor speed dome. Height: 250 mm (9.8 inches) Diameter: 50 mm (2 inches) Weight: 1 kg (2.2 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBracketT1-0010
	Bracket	Tube type bracket for outdoor speed dome. Height: 500 mm (19.7 inches) Diameter: 50 mm (2 inches) Weight: 1.8 kg (4 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBracketT2-0010
	Bracket	Pole Wide Direct Mounting for outdoor speed dome camera, Dimensions: 270 x 170 x 60 mm (10.6 x 6.7 x 2.4 inches), Pole Diameter: 112 ~ 130 mm (4.4 ~ 5 inches), Weight: 1 kg (2.2 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBRACKETP1-0010 (Compatible with ZBracketI2-0010, ZBracketI3-0010)
	Bracket	Pole Wide Box Mounting for outdoor speed dome camera, Dimensions: 270 x 166 x 155 mm (10.6 x 6.5 x 6.1 inches), Pole Diameter: 112 ~ 140 mm (4.4 ~ 5.5 inches), Weight: 3.2 kg (7.1 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBRACKETP2-0010 (Compatible with ZBracketI2-0010, ZBracketI3-0010)
	Bracket	Corner Standard Mounting for outdoor speed dome camera Dimensions: 222 x 204 x 117 mm (8.7 x 8 x 4.6 inches) Weight: 2 kg (4.4 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBRACKETC1-0010 (Compatible with ZBracketI2-0010, ZBracketI3-0010)
	Bracket	Corner Wide Box Mounting for outdoor speed dome camera Dimensions: 232 x 234 x 205 mm (9.1 x 9.2 x 8.1 inches) Weight: 2.7 kg (6 lbs)	CAM6181/6351/6351A/6351B/6471EZ/6371LZ/6571LZ	ZBRACKETC2-0010 (Compatible with ZBracketI2-0010, ZBracketI3-0010)

* All specifications are subject to change without notice.
* All brand names and registered trademarks are the property of their respective owners.





Accessories

IP Camera Accessories				
Photo	Type	Descriptions	Applied Model	Product Number
	Bracket	Pole Wide Direct Mounting for Bullet Camera, Box Camera Housing	CAM3xxx Series ZHousingBKT-0010	ZBRACKETP3-0010
	Cover	Smoke Cover 5.8" Smoke Cover Diameter: 147 mm (5.8 inches)	CAM6181/6351/6351A/6351B/ 6471EZ/6371LZ/6571LZ	ZDomeCover-0050
	Cover	Transparent Cover 5.8" Transparent Cover Diameter: 147 mm (5.8 inches)	CAM6181/6351/6351A/6351B/ 6471EZ/6371LZ/6571LZ	ZDomeCover-0010
	Cover	Outdoor Dome Cover, 2-Axis, Transparent	CAM4371HEV/4371HE M/4471HEV/4471HEM/ 4571M/4571MP/4571VP	ZDomeCover2-0010
	Cover	Outdoor Dome Cover, 3-Axis, Transparent	CAM4351R2/4361LV/ 4461LV/4561LV	ZDomeCover3-0010
	Cover	Indoor Dome Cover, 3-Axis, Transparent	CAM4311S2/4321LV/4410S2/44 11Sx/4421LV/4521LV	ZDomeCover4-0010
	Housing	IP66 Top Open IK10 Vandal Proof Box Camera Housing	CAM2xxx Series (w/ vari- focal lens: YB0LL07J01G0, YB0LL07J02G0, YB0LL07K01G0, YB0LL07K02G0)	ZHousing-0010
	Housing	IP66 Top Open IK10 Vandal Proof Box Camera Housing with 50M IR LED	CAM2xxx Series (w/ vari- focal lens: YB0LL07J01G0, YB0LL07J02G0, YB0LL07K01G0, YB0LL07K02G0)	ZHousing50M-0010
	Housing	Bracket for Box Camera Housing	ZHousing-0010 ZHousing50M-0010	ZHousingBKT-0010
	Test Monitor	IP Camera Test Monitor, US power cord	All Camera Series	ZTester-0030
	Test Monitor	IP Camera Test Monitor, CN power cord	All Camera Series	ZTester-5130
	Test Monitor	IP Camera Test Monitor, EU power cord	All Camera Series	ZTester-8730
	Test Monitor	IP Camera Test Monitor, UK power cord	All Camera Series	ZTester-8E30

* All specifications are subject to change without notice.
* All brand names and registered trademarks are the property of their respective owners.

Accessories

NVR/SMR Accessories

Photo	Type	Descriptions	Supported Models	Part No.
	Joy Stick	<ul style="list-style-type: none"> • CH Products, IP Desktop USB Joystick. • 3 axes joysticks for P/T control, 12 HID buttons, USB 1.1 HID compliant, Easy to use and operate. 	NVR Series SMR Series VMS	ZJOYSTICK-0050
	I/O Box	Ethernet I/O Box, Ethernet Digital I/O Controller, Digital Input x6, Digital Output x3 (for VMS 2.4.8)	NVR Series SMR Series VMS	ZETHIOBOX-0030
	PoE Switch	8 Port 10/100Mbps 120W PoE Switch	IP CAM Series NVR Series SMR Series	ZPOE08-0030
	PoE Switch	24 Port 10/100Mbps + 2 Port GBE Combo (UTP/SFP) 380W PoE Switch	IP CAM Series NVR Series SMR Series	ZPOE26-0030
Slide Rails		Slide Rails for NVR3xxx products, for 23"~27" deep racks	NVR3xxx-xx32 Series	ZSlideRail27-0030
Slide Rails		Slide Rails for NVR3xxx products, for 27"~36" deep racks	NVR3xxx-xx32 Series	ZSlideRail36-0030
HBA Card		SAS External Card (SAS 6G HBA)	NVR21xxA1 Series NVR21xxA2 Series	BH1DLS210-0010
HBA Card		SAS JBOD External Card for NVR54xx series	NVR54xx Series	BH1LSS210-0010
Upgrade Kit		Upgrade kit, 2 more LAN ports for NVR7300 series	NVR73xx Series	ZNVR7300KIT2-0010
Memory		RAM, 4GB DDR-III ECC DIM Module (NVR5316/54xx/73xx/78xx/21xx has 4 RAM slots, maximum 32GB RAM capacity)	NVR21xx, NVR5316, NVR54xx, NVR73xx, NVR78xx Series	DDR3NNCMC4-0010
Memory		RAM, 8GB DDR-III ECC DIM Module (NVR5316/54xx/73xx/78xx has 4 RAM slots, maximum 32GB RAM capacity)	NVR5316, NVR54xx, NVR73xx, NVR78xx Series	DDR3NNCMD-0010
Memory		RAM, 4GB DDR-III DIM Module (SMR83xx/NVR33xx has 2 RAM slots, max. 16GB RAM capacity) (NVR54xx/73xx/78xx has 4 RAM slots, maximum 32GB RAM capacity)	SMR83xx, NVR33xx Series NVR54xx, NVR73xx, NVR78xx Series	DDR3NNCMC7-0010
Memory		RAM, 8GB DDR-III ECC DIM Module (NVR5316/54xx/73xx/78xx/21xx has 4 RAM slots, maximum 32GB RAM capacity)	NVR21xx, NVR5316, NVR54xx, NVR73xx, NVR78xx Series	DDR3NNCMD1-0010