

IP Desktop Professional USB desktop controllers



The network surveillance industry's #1 selling USB joystick, the IP Desktop features a two button three axes Hall effect joystick, 10 tactile pushbuttons and USB 1.1 interface. Recommended and used by the most innovative companies in network surveillance, the IP Desktop has become the industry standard for security professionals.

KEY FEATURES

- □ 3 axes joysticks for P/T/Z control
- Programmable pushbutton switches
- USB 1.1 HID compliant "game controller"
- **Easy to use and operate**
- Optional programming software





IP Desktop

Professional USB desktop controllers

SPECIFICATIONS

Joystick performance	- -	Hall effect three axes joystick X/Y/Z for positioning control
Joystick travel	- -	36° for X and Y axes 60° for Z axis
Centering	-	Single spring, omni-directional
Joystick shaft	-	Stainless steel
Joystick boot	-	Neoprene
Joystick handle	-	Glass filled nylon
Pushbutton performance	- -	10 tactile pushbuttons on housing Two tactile pushbuttons on joystick 3,000,000 cycles
Desktop housing	-	High impact ABS
Power	- -	Via USB interface (5V DC) Consumption 32mA
Operating conditions	-	-25°C to +85°C (-13°F to+185°F)
Approvals	- - -	EN 55024:1998, EN 55022, CE FCC Part 15 Subpart B Class B RoHs compliant
Weight	-	440 g (0.97lb)
Interface	-	USB port
Connectors	- -	USB Type A Male Cable Length: 2m; 6ft. 6.8in
Systems support integration	-	Windows 7, Vista, XP, 2000
Supported protocols	- - - - -	USB HID 1.1 game controller Direct X (Gaming Control) Joystick: Three HID axes Pushbuttons: 12 HID buttons Uses standard DirectX HID drivers Connects directly to workstation PC
Environmental	-	For indoor use only

NOTE: All values are nominal


• IP Desktop Software is an optional utility that creates a joystick/mouse combination device and allows users to toggle between both devices with the press of a button. In addition to dual joystick/mouse functionality, IP Desktop Software creates an additional fourth joystick axis, "R." The additional "R" axis is ideally suited for jog/shuttle control of video playback.

• IP Desktop Software is designed to work with the IP Desktop range in a Windows based operating system.

IP Desktop Proportional USB desktop controllers

USB 1.1 HID COMPLIANT GAME CONTROLLER

DIMENSIONAL DRAWINGS



Note: Dimensions are in mm/(inch)

stalled game controllers		Test the game controller. If the controller is not functioning properly, it n need to be calibrated. To calibrate it, go to the Settings page.
Controller	Status	Axes
Add Remove	Properties d Troubleshoot OK	+ X Axis / Y Axis Z Ax. Buttons 1 2 3 4 5 6 7 8 9 10 11 12

Note: To order the IPD Desktop please refer to Part Number 100-550 (Gray or Black).